

AVLV2.E211048 - APPLIANCE WIRING MATERIAL - COMPONENT

Appliance Wiring Material - Component

See General Information for Appliance Wiring Material - Component

QIFURUI ELECTRONICS CO
1924 W HOLT AVE
POMONA, CA 91768-3351 USA


E211048

Table of Recognized Styles

Single-conductor, thermoplastic insulation.							
1007	1164	1314	1570	1814	1930	10111	10326
1010	1180	1316	1571	1815	1933	10125	10346
1013	1198	1330	1586	1827	1942	10126	10347
1015	1199	1331	1589	1828	1988	10129	10358
1017	1207	1332	1609	1829	1989	10142	10362
1020	1211	1333	1610	1857	1990	10156	10368
1021	1213	1371	1617	1858	10007	10183	10371
1022	1220	1385	1618	1859	10011	10193	10393
1023	1230	1422	1643	1860	10024	10198	10412
1024	1233	1429	1644	1862	10053	10212	10442
1026	1234	1430	1659	1863	10064	10248	10443
1027	1235	1431	1670	1864	10070	10267	10464
1028	1236	1452	1671	1867	10072	10269	10481
1032	1237	1505	1672	1868	10076	10271	10485
1040	1238	1508	1707	1882	10086	10277	10486
1041	1239	1513	1708	1887	10088	10278	10491
1043	1265	1516	1709	1901	10093	10279	10499
1054	1266	1517	1710	1905	10097	10298	10503
1055	1275	1523	1716	1911	10101	10302	10504
1056	1283	1538	1726	1914	10102	10305	10507

1061	1284	1558	1727	1927	10109	10311	10530
1095	1308	1569	1764	1929	10110	10312	11627
Multiple-conductor, thermoplastic insulation.							
2038	2344	2464	2560	2598	2656	2733	20478
2095	2345	2468	2569	2614	2660	2754	20480
2096	2346	2490	2570	2626	2661	2919	20482
2101	2384	2493	2571	2630	2662	2951	21014
2102	2385	2501	2574	2631	2668	2990	
2103	2386	2502	2576	2637	2679	20276	
2127	2387	2516	2584	2651	2704	20293	
2129	2388	2517	2586	2653	2709	20294	
2265	2448	2532	2587	2654	2722	20295	
2343	2463	2550	2589	2655	2726	20346	
Single-conductor, thermoset insulation.							
3035	3134	3208	3266	3314	3385	3478	3569
3068	3135	3209	3267	3315	3386	3482	3584
3069	3136	3210	3271	3317	3398	3484	3585
3070	3137	3211	3276	3318	3406	3485	3596
3071	3138	3212	3278	3320	3415	3487	3597
3074	3139	3213	3279	3321	3417	3491	3598
3075	3140	3214	3280	3322	3423	3492	3599
3092	3141	3215	3284	3326	3424	3494	3605
3098	3142	3216	3285	3327	3434	3505	3611
3099	3143	3231	3288	3328	3435	3512	3613
3100	3144	3232	3289	3329	3436	3513	3633
3101	3145	3236	3290	3330	3440	3519	3639
3113	3167	3239	3295	3331	3443	3520	3640
3115	3171	3240	3297	3332	3447	3529	3641
3122	3172	3241	3298	3343	3448	3530	3642
3123	3173	3243	3300	3344	3453	3535	3644
3125	3182	3251	3301	3346	3454	3536	3645
3126	3194	3252	3302	3351	3456	3557	3658
3127	3195	3253	3304	3352	3463	3558	3816

3128	3196	3254	3306	3368	3464	3561	3817
3132	3199	3262	3311	3376	3469	3564	
3133	3207	3265	3312	3377	3473	3566	
Multiple-conductor, thermoset insulation.							
4413							

Marking: Company name or trademark  , voltage rating, temperature rating, conductor size, conductor material if other than copper, and use.

Last Updated on 2019-09-23

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"